VTEKE®

EARTH LEAKAGE RELAY



ENERGY ANALYZER



DIGITAL METERS



PRODUCT CATALOGUE

CBCT



SPLIT CORE CT



SUMMATION CT



CURRENT TRANSFORMERS



FACTORY PRODUCTION

Advanced manufacturing facilities and strict quality control processes

R&D CENTER

Continuous innovation and product development to meet market needs

IEC CERTIFIED

Products designed and tested to international IEC standards

GLOBAL EXPORT

Trusted by customers in 50+ countries around the world

www.vteke.com.tr

Company Profile

At VTEKE Elektrik,

we manufacture industrial electrical equipment and produce a wide range of products across various fields. We export to more than 35 countries and take pride in supplying preferred products to numerous prestigious projects both domestically and internationally.

With our commitment to sustainable quality principles, we hold numerous certifications, including TSE, TUV, CE, ISO, EAC, SABER, Ministry of Industry and Technology Approval, Measurement Instruments Type Approval (Stamp), CMIM, and many others.

Our continuously expanding product range includes current transformers, analog indicators, digital meters, energy analyzers, control and protection relays, level controllers, power supplies, battery chargers, and many more, enabling us to provide strong support to our customers.

In addition to the products mentioned above, we contribute to our customers' processes by manufacturing customized products tailored to their specific requirements, ensuring quality and fast solutions.

We are pleased to serve customers from all around the world with our extensive product portfolio and strong technical support, always striving to meet their needs and expectations.



VTEKE®

Table of content

Our company	1
Current Transformers	3 - 6
Protection Current Transformers	7
Protection Relays	8 - 9
Earth Leakage relay and CBCT	10
Time and Control Relays	11 - 13
Analog Panel Meters	14 - 15
Digital Panel Meters	16 - 17
Energy Analyzers	18
Power Factor Controllers	18
Battery Chargers	19 - 20
Power Supplies	19 - 20
Transducers	21
Reference page	22



CURRENT TRANSFORMERS

Coding map



SERIES CODE	HOLE SIZE (mm)	PRIMARY (A)	SECONDARY (A)	CLASS		BURDEN (VA)	
				CODE	CLASS	CODE	VA
CK	20	5	1	1	1	01	1
TK	30 N/A	-	5	2	0.5	02	1.5
DK	30	-		3	0.5S	03	2.5
BK	40 /A	-		4	0.1	04	3.75
BK1C	60 /D	-		5	0.1S	05	5
SK	80	6300		6	0.2	06	7.5
MSK	100			7	0.2S	07	10
RK	120			8	5	08	12.5
	125			9	3	09	15
						10	20
						11	25
						12	30
						13	40
						14	50
						15	60

CURRENT TRANSFORMERS
PRODUCTS



Series	CK20
Hole	20mm
Amper	30 - 300A /5A
Class	0.5 , 1, 3
VA	Up to 3.75 VA



Series	TK40
Hole	40x10mm, 30 Ø
Amper	200 - 800A /5A
Class	0.5S, 0.5, 1,3
VA	Up to 10 VA



Series	TK30N
Hole	30x10mm, 26 Ø
Amper	30 - 600A /5A
Class	0.5, 1, 3
VA	Up to 3.75 VA



Series	TK40A
Hole	40x10mm, 30 Ø
Amper	200 - 1000A /5A
Class	0.2S, 0.5S, 0.5, 1
VA	Up to 20 VA



Series	TK30
Hole	30x10mm, 26 Ø
Amper	30 - 600A /5A
Class	0.5S, 0.5, 1,3
VA	up to 5 VA



Series	TK60
Hole	60x10mm, 51 Ø
Amper	400 - 1250A /5A
Class	0.2S, 0.5S, 0.5, 1
VA	Up to 30 VA



Series	TK30A
Hole	30x10mm, 26 Ø
Amper	25 - 600A /5A
Class	0.2S, 0.5S, 0.5, 1
VA	Up to 20 VA



Series	TK60D
Hole	60x30mm
Amper	600 - 2000A /5A
Class	0.2S, 0.5S, 0.5, 1
VA	Up to 30 VA

CURRENT TRANSFORMERS
PRODUCTS



Series	TK80
Hole	80x10, 65 Ø
Amper	800 - 2000A /5A
Class	0.2S, 0.5S, 0.5, 1
VA	Up to 30 VA



Series	TK100
Hole	100x10mm, 85 Ø
Amper	1000 - 4000 /5A
Class	0.2S, 0.5S, 0.5, 1
VA	Up to 40 VA



Series	TK120
Hole	120x70mm
Amper	2000 - 6300A /5A
Class	0.2S, 0.5S, 0.5, 1
VA	Up to 40 VA



Series	DK125
Hole	39mm x 125mm
Amper	600- 4000A /5A
Class	0.2S, 0.5S, 0.5, 1
VA	Up to 40 VA



Series	BK1C
Terminal	Screw Terminal
Amper	5 - 50A /5A
Class	0.5, 1, 3
VA	Up to 10 VA



Series	BK
Hole	25mm x 3mm
Amper	5 - 200A /5A
Class	0.5S, 0.5, 1,3
VA	Up to 10 VA



Series	VST5
Hole	DIN RAIL
Amper	5A - 1/5A
Class	0.5, 1
VA	Up to 15 VA

CURRENT TRANSFORMERS
PRODUCTS



Series	MSK24
Hole	24mm x 24mm
Amper	100 - 400A /5A
Class	0.5, 1, 3
VA	UP to 3.75 VA



Series	MSK36
Hole	36mm x 36mm
Amper	100 - 600A /5A
Class	0.5, 1, 3
VA	Up to 5 VA



Series	MSK50
Hole	50mm x 50mm
Amper	100 - 800A /5A
Class	0.5, 1, 3
VA	Up to 5 VA



Series	SK58
Hole	50mm x 80mm
Amper	250 - 1600A /5A
Class	0.5, 1, 3
VA	Up to 15 VA



Series	SK88
Hole	80mm x 80mm
Amper	400 - 2000A /5A
Class	0.5, 1, 3
VA	Up to 20 VA



Series	SK812
Hole	80mm x 120mm
Amper	400 - 3000A /5A
Class	0.5, 1, 3
VA	Up to 30 VA



Series	SK816
Hole	80mm x 160mm
Amper	1000 - 6000A /5A
Class	0.5, 1, 3
VA	Up to 30 VA



Series	SK820
Hole	80mm x 200mm
Amper	2000A - 6300A /5A
Class	0.5, 1, 3
VA	Up to 30 VA

PROTECTION CURRENT TRANSFORMERS
PRODUCTS



SERIES	AMPER	CLASS	VA
DK60P	300 - 1600A - 1/5A	5P5,5P10,10P5,10P10	UP TO 30VA
DK80P	600 - 1600A - 1/5A	5P5,5P10,10P5,10P10	UP TO 30VA
DK100P	1000 - 2500A - 1/5A	5P5,5P10,10P5,10P10	UP TO 30VA
DK120P	1200 - 3000A - 1/5A	5P5,5P10,10P5,10P10	UP TO 30VA
DK130P	1600 - 5000A - 1/5A	5P5,5P10,10P5,10P10	UP TO 30VA
TK60P	400 - 1200A - 1/5A	5P5,5P10,5P15,10P5, 10P10,10P15	UP TO 30VA
TK80P	800 - 2000A - 1/5A	5P5,5P10,5P15,10P5, 10P10,10P15	UP TO 30VA
TK100P	1000 - 4000A - 1/5A	5P5,5P10,5P15,10P5, 10P10,10P15	UP TO 30VA
TK130P	2000 - 6000A - 1/5A	5P5,5P10,5P15,10P5, 10P10,10P15	UP TO 30VA

PROTECTION RELAYS
PRODUCTS



PPR-14P
(3PH+N)

Asymmetry: 30%

Phase Sequence

PTC

PPR-14
(3PH+N)

Asymmetry: 30%

Phase Sequence



PPR-24F
(3PH)

Asymmetry: 11%

Over Voltage: 500V AC

Under Voltage: 180V AC

Phase Sequence

Phase Absence

PPR-24FN
(3PH+N)

Asymmetry: 11%

Over Voltage: 300V AC

Under Voltage: 140V AC

Phase Sequence

Phase Absence



PPR-05F
(3PH+N)

Asymmetry: 5%-25%

Over Voltage: 300V AC

Under Voltage: 140V AC

Phase Absence

Neutral Absence

Phase Sequence

PPR-06F
(3PH)

Asymmetry: 5%-25%

Over Voltage: 500V AC

Under Voltage: 240V AC

Phase Absence

Neutral Absence

Phase Sequence



DVC-04
(3PH)

Over Voltage:
400V - 460V AC

Under Voltage:
230V - 360V AC

DVC-04F
(3PH)

Over Voltage:
400V - 460V AC

Under Voltage:
230V - 360V AC

Phase Sequence



PPR-03N
(3PH)

Asymmetry: 30%



UVR-03N
(3PH+N)

Under Voltage : 140V



VCR-11
(1PH)

Over Voltage: 230V - 300V AC

Under Voltage: 140V - 210V AC

PROTECTION RELAYS
PRODUCTS



VCR-02
(3PH+N)

Over Voltage:
230V - 300V AC

Under Voltage:
140V - 210V AC

Neutral Absance
Phase Absence

VCR-02F
(3PH+N)

Over Voltage:
230V - 300V AC

Under Voltage:
140V - 210V AC

Phase Sequence

Neutral Absance
Phase Absence

VCR-03F
(3PH)

Over Voltage:
400V - 500V AC

Under Voltage:
270V - 370V AC

Phase Sequence

Phase Absance



DVC-01
(1PH)

Over Voltage: 230 - 280V AC

Under Voltage: 150V - 210V AC



DOR

Asymmetry: 50%

Over current : 25A - 400A



VUC-01D
(1PH)

Under Current: X/5A

EARTH LEAKAGE RELAY
PRODUCTS

TECHNICAL DATA

PARAMETER	VALUE
STANDARD	IEC 60947-2 / IEC 60947-2 LV directive 2014/35/EU EMC directive 2014/30/EU
SUPPLY VOLTAGE	230V AC
FREQUENCY	50/60 HZ
POWER CONSUMPTION	2VA
CBCT TYPE	Only VTEKE VTOR series can be used
MONITORED LEAKAGE CURRENT TRIP OPTIONS	30MA, 100MA, 300MA, 500MA 1A, 3A, 5A, 10A, 20A, 30A
TRIP LEVEL LIMITS	±%5 of set leakage current value
TIME DELAY	0 (<40 msec), 0.15, 0.25, 0.50, 1, 2, 3, 5, 7, 9 sec
RESET TIME	1 sec
CBCT DETECTION FUNCTION	CBCT absent or short
ACCURACY	Current + - %5 of Set Trip Current Time + - %5 of Set Trip Time +0 (<40 msn)
TEST/RESET FACILITY	Front button
RESET ENABLE LEVEL	Below %85 of tripped level in presence of CBCT



RESIDUAL CURRENT TRANSFORMER (CBCT)
PRODUCTS

SERIES	RATIO	CL.	SIZE
VTOR	1000/1A	0.5	25mm 45mm 65mm 80mm 100mm 150mm 210mm 310mm



SERIES	RATIO	CL.	SIZE
VST-ELR	1000/1A	0.5	Din Rail



SERIES	RATIO	CL.	SIZE
VDIK	1000/1A	0.5	360x100 mm 500x100mm 850x20mm 900x30mm



SERIES	RATIO	CL.	SIZE
VAYR	1000/1A	0.5	360x100 mm 500x100



TIME RELAYS
PRODUCTS



SERIES	Operating Voltage	Function	Time Range
DTR-30	230V AC and 24V AC/DC	On Delay Or Off Delay	0.1s - 30s
DTR-60	230V AC and 24V AC/DC	On Delay Or Off Delay	0.1s - 60s
DTR-03M	230V AC and 24V AC/DC	On Delay Or Off Delay	0.1s - 3min



SERIES	Operating Voltage	Function	Time Range
FTR-10	24 - 230V AC/DC	10- Functions	1s - 100hr
FTR-10X	12 - 230V AC/DC	10- Functions 2 CONTACTS	1s - 30hr



SERIES	Operating Voltage	Function	Time Range
FTR-07	24 - 230V AC/DC	Right Left	1s - 100min



SERIES	Operating Voltage	Function	Time Range
DTR-SC	180 - 230V AC	Stair Case	0.5min - 20min



SERIES	Operating Voltage	Function	Time Range
FTR-08	230V AC and 24V AC/DC	On Delay Or Off Delay	0.1s - 100h



SERIES	Operating Voltage	Function	Time Range
DTR-SD	24 - 230V AC/DC	Star-Delta	Star: 1s - 30s Waiting time 1ms-500ms

TIME RELAYS
PRODUCTS



SERIES	Operating Voltage	Function	Time Range
FTR-08M	24 - 230V AC/DC	On Delay Or Off Delay	1s - 100h



SERIES	Operating Voltage	Function	Time Range
FTR-08MS	24 - 230V AC/DC	On Delay Or Off Delay (Funtion is Adjustable)	1s - 100h



SERIES	Operating Voltage	Function	Time Range
FTR-09	230V AC and 24V AC/DC	Flasher	0.1s - 100h

CONTROL RELAYS
PRODUCTS



SERIES	Operating Voltage	Function
PCR-03	180 - 230V AC	Photocell Relay (Fixed Lux Control)



SERIES	Operating Voltage	Function
PCR-04	180 - 230V AC	Photocell Relay (Adjustable Lux Control)



SERIES	Operating Voltage	Function
LLR-05	85 - 230 V AC/DC	Liquid Level Control Relay (Single Tank)



SERIES	Operating Voltage	Function
LLR-05U	85 - 230 V AC/DC	Liquid Level Control Relay with Adjustable Time Delay



SERIES	Operating Voltage	Function
LLR-06	85 - 230V AC/DC	Dual Tank Liquid Level Control Relay, Adjustable Time



SERIES	Operating Voltage	Function
HPR-02M	24V - 230V AC/DC	2-Pump Alternation Relay (Hydrophore Controller)



SERIES	Operating Voltage	Function
HPR-03M	24V - 230V AC/DC	3-Pump Alternation Relay (Hydrophore Controller)



SERIES	Operating Voltage	Function
DTR-SS	150 - 250V AC	Star Stop Relay



SERIES	Operating Voltage	Function
SPR-30	100 - 240V AC	Submersible Pump Relay
SPR-03	100 - 240V AC	Submersible Pump Relay Single Phase

ANALOG PANEL METERS
PRODUCTS



PRODUCTS	SIZES	Input Ampere	Input Voltage	Accuracy
AK-A72-XXD AK-A96-XXD AK-A72-XXX AK-A96-XXX AK-A96-XXX-1	72x72 and 96x96	5A-100A direct connection, 5/5A-6300/5A	NA	1.5



PRODUCTS	SIZES	Input Ampere	Input Voltage	Accuracy
AK-V72-500V AK-V96-500V	72x72 and 96x96	NA	300V,500V, and 600V	1.5



PRODUCT	SIZES	Input Ampere	Input Voltage	Accuracy
AK-V72-XX/0.1 AK-V96-XX/0.1	72x72 and 96x96	NA	Used with PT UNTIL 400KV	1.5



PRODUCTS	SIZES	Input Ampere	Input Voltage	Accuracy
AK-F72 AK-F96	72x72 and 96x96	NA	220V AC	1.5



PRODUCT	PRODUCT CODE	POSITION	AMPERE
Ammeter selector switch	cav16403	4	16A



PRODUCT	PRODUCT CODE	POSITION	AMPERE
Voltmeter selector switch	CAV16701	7	16A

DIGITAL PANEL METERS
PRODUCTS



PARAMETER	VALUE
SERIES	VK-M96-C
PHASE TYPE	3-PHASE
OPERATING VOLTAGE	85 - 230V AC
VOLTAGE MEASURING RANGE	5V - 330KV
CURRENT MEASURING RANGE	50mA - 5.5A FOR CT 5/5A TO 2000/5A)
ENERGY	Kwh
COMMUNICATION	RTU RS485
PANEL HOLE	96X96MM
OVERLOAD PROTECTION	NA



PARAMETER	VALUE
SERIES	VK-M96S
PHASE TYPE	3-PHASE
OPERATING VOLTAGE	85 - 230 V AC/DC
VOLTAGE MEASURING RANGE	1-300VAC (L-N) 1-500VAC (L-L)
CURRENT MEASURING RANGE	50mA - 5A FOR CT 5/5A TO 5000/5A)
ENERGY	NA
COMMUNICATION	NA
PANEL HOLE	96X96MM
OVERLOAD PROTECTION	NA



PARAMETER	VALUE
SERIES	VK-M96
PHASE TYPE	3-PHASE
OPERATING VOLTAGE	85 - 230 V AC/DC
VOLTAGE MEASURING RANGE	1-300VAC (L-N) 1-500VAC (L-L)
CURRENT MEASURING RANGE	50mA - 5A FOR CT 5/5A TO 5000/5A)
ENERGY	NA
COMMUNICATION	NA
PANEL HOLE	96X96MM
OVERLOAD PROTECTION	NA



PARAMETER	VALUE
SERIES	VK-V96 / VK-V72
PHASE TYPE	1-PHASE
OPERATING VOLTAGE	85-230 V AC/DC
VOLTAGE MEASURING RANGE	1-300VAC (L-N)
CURRENT MEASURING RANGE	NA
ENERGY	NA
COMMUNICATION	NA
PANEL HOLE	96X96MM / 72X72MM
OVERLOAD PROTECTION	NA



PARAMETER	VALUE
SERIES	VK-V96-T2
PHASE TYPE	3-PHASE
OPERATING VOLTAGE	85-230 V AC/DC
VOLTAGE MEASURING RANGE	1-300VAC (L-N) 1-500VAC (L-L)
CURRENT MEASURING RANGE	NA
ENERGY	NA
COMMUNICATION	NA
PANEL HOLE	96X96MM
OVERLOAD PROTECTION	NA



PARAMETER	VALUE
SERIES	VK-A96 / VK-A72
PHASE TYPE	1-PHASE
OPERATING VOLTAGE	85-230 V AC/DC
VOLTAGE MEASURING RANGE	NA
CURRENT MEASURING RANGE	50mA-5A FOR CT 5/5A TO 5000/5A)
ENERGY	NA
COMMUNICATION	NA
PANEL HOLE	96X96MM / 72X72MM
OVERLOAD PROTECTION	NA



PARAMETER	VALUE
SERIES	VK-A96-T
PHASE TYPE	3-PHASE
OPERATING VOLTAGE	85 - 230 V AC/DC
VOLTAGE MEASURING RANGE	NA
CURRENT MEASURING RANGE	50mA - 5A FOR CT 5/5A TO 5000/5A)
ENERGY	NA
COMMUNICATION	NA
PANEL HOLE	96X96MM
OVERLOAD PROTECTION	NA



PARAMETER	VALUE
SERIES	VK-A72S
PHASE TYPE	1-PHASE
OPERATING VOLTAGE	150V - 230V AC
VOLTAGE MEASURING RANGE	NA
CURRENT MEASURING RANGE	50mA - 5.5A FOR CT 5/5A TO 5000/5A)
ENERGY	NA
COMMUNICATION	NA
PANEL HOLE	72X72MM
OVERLOAD PROTECTION	YES



PARAMETER	VALUE
SERIES	VK-M-DIN
PHASE TYPE	3-PHASE
OPERATING VOLTAGE	150 - 240VAC
VOLTAGE MEASURING RANGE	1-300VAC (L-N) 1-500VAC (L-L)
CURRENT MEASURING RANGE	50mA - 5.5A FOR CT 5/5A TO 5000/5A)
ENERGY	NA
COMMUNICATION	NA
PANEL HOLE	DIN RAIL
OVERLOAD PROTECTION	NA



PARAMETER	VALUE
SERIES	VK-PF96
PHASE TYPE	3-PHASE
OPERATING VOLTAGE	85 - 230VAC/DC
VOLTAGE MEASURING RANGE	-
CURRENT MEASURING RANGE	NA
ENERGY	COS PHI
COMMUNICATION	NA
PANEL HOLE	96X96MM
OVERLOAD PROTECTION	NA



PARAMETER	VALUE
SERIES	DC-V72
PHASE TYPE	-
OPERATING VOLTAGE	150V - 230V AC
VOLTAGE MEASURING RANGE	1V - 300V DC
CURRENT MEASURING RANGE	NA
ENERGY	NA
COMMUNICATION	NA
PANEL HOLE	72X72MM
OVERLOAD PROTECTION	NA



PARAMETER	VALUE
SERIES	DC-A72
PHASE TYPE	-
OPERATING VOLTAGE	150V - 230V AC
VOLTAGE MEASURING RANGE	NA
CURRENT MEASURING RANGE	10A - 900A (60mV)
ENERGY	NA
COMMUNICATION	NA
PANEL HOLE	72X72MM
OVERLOAD PROTECTION	NA

ENERGY ANALYZERS
PRODUCTS



Series	EA-C5
Functions	THD-V/A, P, Q, S, F, V, I, F, kWh
Communication	RS485
Relay Output	2-output,1-digital Input
EVENT LOG	YES



Series	EA-C1
Functions	THD-V/A, P, Q, S, F, V, I, F, kWh
Communication	RS485
Relay Output	1-output relay,1-digital Input
EVENT LOG	NA



Series	EA-C4
Functions	THD-V/A, P, Q, S, F, V, I, F, kWh
Communication	RS485
Relay Output	1-output relay,1-digital Input
EVENT LOG	NA



Series	EA-4DIN
Functions	THD-V/A, P, Q, S, F, V, I, F, kWh
Communication	RS485
Relay Output	2-output,
EVENT LOG	NA

POWER FACTOR CONTROLLERS
PRODUCTS



PARAMETER	VALUE
SERIES	PFC-07
OPERATING VOLTAGE	160V - 260V AC
OPERATING FREQUENCY	50/60HZ
OPERATING POWER	<10VA
VOLTAGE MEASURING RANGE	10V - 300V
CURRENT MEASURING RANGE	80mA - 5.5A FOR CT 5/5A TO 10000/5A)
PROGRAMS	7



PARAMETER	VALUE
SERIES	PFC-12S
OPERATING VOLTAGE	100 - 300VAC
OPERATING FREQUENCY	50/60HZ
OPERATING POWER	<10VA
VOLTAGE MEASURING RANGE	10V - 300V
CURRENT MEASURING RANGE	10mA - 5.5A FOR CT 5/5A TO 10000/5A)
PROGRAMS	12

BATTERY CHARGERS
PRODUCTS



PRODUCT	INPUT VOLTAGE	OUTPUT VOLTAGE	OUTPUT CURRENT	WATT
VBC-A05	150-230V AC/DC	12V or 24V DC	5A	175W



PRODUCTS	INPUT VOLTAGE	OUTPUT VOLTAGE	OUTPUT CURRENT	WATT
VBC-1205	150 - 230V AC or 200 - 400V DC	12V	5A	140W
VBC-1210	150 - 230V AC or 200 - 400V DC	12V	10A	140W
VBC-2405	150 - 230V AC or 200 - 400V DC	24V	5A	140W
VBC-3002	150 - 230V AC or 200 - 400V DC	30V	2A	140W



PRODUCT	INPUT VOTLAGE	OUTPUT VOTLAGE	OUTPUT CURRENT	WATT
VBC-2410	150 - 230V AC or 200 - 400V DC	24V	10A	275w

BATTERY CHARGERS
PRODUCTS



PRODUCTS	INPUT VOLTAGE	OUTPUT VOLTAGE	OUTPUT CURRENT	WATT
VBC-1205A	150 - 230V AC or 200 - 400V DC	12V	5A	140W
VBC-1210A	150 - 230V AC or 200 - 400Vdc	12V	10A	140W
VBC-2405A	150 - 230V AC or 200 - 400Vdc	24V	5A	140W

POWER SUPPLY
PRODUCTS



PRODUCT	INPUT VOLTAGE	OUTPUT VOLTAGE	OUTPUT AMPER	WATT
PSU-2406	85 - 265VAC 120 - 400VDC	24V DC	6A	140W



PRODUCT	INPUT VOLTAGE	OUTPUT VOLTAGE	OUTPUT AMPER	WATT
PSU-2403	85 - 265VAC 120 - 400VDC	24V DC	3A	70W

TRANSDUCERS
Coding map





XX-XXX-XXX-XXX

TRANSDUCER TYPE	INPUT	OUTPUT	POWER SUPPLY
CT (CURRENT TRANSDUCER)	1 (0 - 1AAC)	M (MULTI-RANGE)	24 (9 - 34VDC)
VT (VOLTAGE TRANSDUCER)	5 (0 - 5AAC)	420 (4 - 20MA)	220 (85 - 280VAC)
	500 (0- 500VAC)	020 (0 - 20MA)	
	24 (0 - 24VAC)	005 (0 - 5V)	
	CUSTOMIZED	010 (0 - 10V)	
		015 (1 - 5V)	
		210 (2 - 10V)	

REFERENCES

T.C. ADALET BAKANLIĞI

EMLAK KONUT
GAYRİMENKUL YATIRIM ORTAKLIĞI A.Ş.

ENERJİSA
Türkiye'nin Enerjisi

TEİAŞ
TÜRKİYE ELEKTRİK İLETİM A.Ş.

BOĞAZİÇİ ELEKTRİK DAĞITIM

GDZ ELEKTRİK DAĞITIM

TÜRKİYE ELEKTRİK DAĞITIM A.Ş.

ADM ELEKTRİK DAĞITIM

kcetaş
Kayseri ve Civarı Elektrik Türk A.Ş.

Ayedaş

DİCLE ELEKTRİK

MEDAŞ
MERAM ELEKTRİK DAĞITIM A.Ş.

OEDAŞ
OSMANGAZİ ELEKTRİK DAĞITIM

FIRAT ELEKTRİK

T.C. SAĞLIK BAKANLIĞI

ULUDAĞ ELEKTRİK DAĞITIM

T.C. ÇEVRE, ŞEHİRCİLİK VE İKLİM DEĞİŞİKLİĞİ BAKANLIĞI
TOKİ
TOPLU KONUT İDARESİ BAŞKANLIĞI

AKDENİZ ELEKTRİK DAĞITIM

Toroslar

yedaş
Yeşilırmak Elektrik Dağıtım A.Ş.

VEDAŞ
Vangölü Elektrik Dağıtım A.Ş.

ÇORUH ELEKTRİK

sedaş

ÇAMLIBEL ELEKTRİK DAĞITIM

aras
Elektrik Dağıtım Anonim Şirketi

AKEDAŞ
ELEKTRİK DAĞITIM A.Ş.

VTEKE®

Esentepe, 2851. Sk. NO: 36 NO: 1, 34265
Sultangazi/İstanbul

T : +90 212 544 00 04 | info@vteke.com.tr